



Complete Summary

TITLE

Prevention of central venous catheter (CVC)-related infections: does the hospital have guidelines or protocol for prevention of CVC-related infections?

SOURCE(S)

Ministry of Health. Safe practices indicators project: background, summary of methods and measurement strategies. Madrid: Ministry of Health; 2009 Feb 20. 97 p.

Measure Domain

PRIMARY MEASURE DOMAIN

Structure

The validity of measures depends on how they are built. By examining the key building blocks of a measure, you can assess its validity for your purpose. For more information, visit the [Measure Validity](#) page.

SECONDARY MEASURE DOMAIN

Does not apply to this measure

Brief Abstract

DESCRIPTION

This measure is used to determine whether or not the hospital has guidelines or protocol for prevention of central venous catheter (CVC)-related infections. These rules should include:

- Measures to be taken when inserting CVCs
- Measures to be taken for maintenance of CVCs

RATIONALE

Vascular catheter-related infections are the leading cause of hospital-acquired bloodstream infections and are associated with significant morbidity in critically ill patients. Most central venous catheter (CVC)-related infections are considered preventable.

The existence in the hospital of rules for prevention of CVC-related infections demonstrates its endeavors to prevent these adverse events.

PRIMARY CLINICAL COMPONENT

Central venous catheter (CVC)-related infections; prevention

DENOMINATOR DESCRIPTION

This measure applies to hospitals (one hospital at a time).

NUMERATOR DESCRIPTION

The hospital has rules for prevention of central venous catheter (CVC)-related infections (see the related "Numerator Inclusions/Exclusions" field in the Complete Summary).

Evidence Supporting the Measure

EVIDENCE SUPPORTING THE CRITERION OF QUALITY

- A clinical practice guideline or other peer-reviewed synthesis of the clinical evidence
- A formal consensus procedure involving experts in relevant clinical, methodological, and organizational sciences
- A systematic review of the clinical literature
- One or more research studies published in a National Library of Medicine (NLM) indexed, peer-reviewed journal

Evidence Supporting Need for the Measure

NEED FOR THE MEASURE

Variation in quality for the performance measured

EVIDENCE SUPPORTING NEED FOR THE MEASURE

Ministerio de Sanidad y Consumo. Indicadores de buenas practicas sobre seguridad del paciente. Resultados de su medicion en una muestra de hospitales del sistema nacional de salud Español. Madrid: Ministerio de Sanidad y Consumo; 2008. 95 p.

State of Use of the Measure

STATE OF USE

Current routine use

CURRENT USE

Internal quality improvement

Application of Measure in its Current Use

CARE SETTING

Hospitals

PROFESSIONALS RESPONSIBLE FOR HEALTH CARE

Measure is not provider specific

LOWEST LEVEL OF HEALTH CARE DELIVERY ADDRESSED

Single Health Care Delivery Organizations

TARGET POPULATION AGE

Does not apply to this measure

TARGET POPULATION GENDER

Does not apply to this measure

STRATIFICATION BY VULNERABLE POPULATIONS

Does not apply to this measure

Characteristics of the Primary Clinical Component

INCIDENCE/PREVALENCE

30% of hospitals do not have guidelines or protocol for prevention of central venous catheter (CVC)-related infections.

EVIDENCE FOR INCIDENCE/PREVALENCE

Ministerio de Sanidad y Consumo. Indicadores de buenas practicas sobre seguridad del paciente. Resultados de su medicion en una muestra de hospitales del sistema nacional de salud Español. Madrid: Ministerio de Sanidad y Consumo; 2008. 95 p.

ASSOCIATION WITH VULNERABLE POPULATIONS

Unspecified

BURDEN OF ILLNESS

See the "Rationale" field.

UTILIZATION

Unspecified

COSTS

Unspecified

Institute of Medicine National Healthcare Quality Report Categories**IOM CARE NEED**

Not within an IOM Care Need

IOM DOMAIN

Not within an IOM Domain

Data Collection for the Measure**CASE FINDING**

Does not apply to this measure

DENOMINATOR SAMPLING FRAME

Does not apply to this measure

DENOMINATOR INCLUSIONS/EXCLUSIONS**Inclusions**

This measure applies to hospitals (one hospital at a time).

Exclusions

None

RELATIONSHIP OF DENOMINATOR TO NUMERATOR

Does not apply to this measure

DENOMINATOR (INDEX) EVENT

Does not apply to this measure

DENOMINATOR TIME WINDOW

Does not apply to this measure

NUMERATOR INCLUSIONS/EXCLUSIONS

Inclusions

The hospital has rules* for prevention of central venous catheter (CVC)-related infections.

*These rules should include:

- Measures to be taken when inserting CVCs
- Measures to be taken for maintenance of CVCs

Exclusions

None

MEASURE RESULTS UNDER CONTROL OF HEALTH CARE PROFESSIONALS, ORGANIZATIONS AND/OR POLICYMAKERS

The measure results are somewhat or substantially under the control of the health care professionals, organizations and/or policymakers to whom the measure applies.

NUMERATOR TIME WINDOW

Encounter or point in time

DATA SOURCE

Provider data

LEVEL OF DETERMINATION OF QUALITY

Does not apply to this measure

PRE-EXISTING INSTRUMENT USED

None

Computation of the Measure

SCORING

Categorical Variable

INTERPRETATION OF SCORE

Passing score defines better quality

ALLOWANCE FOR PATIENT FACTORS

Does not apply to this measure

STANDARD OF COMPARISON

Internal time comparison

Evaluation of Measure Properties

EXTENT OF MEASURE TESTING

After pilot testing, the set of indicators has been measured in a random sample of 25 Spanish hospitals, stratified by hospital size. The main objective has been to field test the feasibility of measurement in the various settings representing real life situations in the context of the Spanish Health Care System.

Both the whole indicators validation report and the results of the baseline measurement in a sample of the Spanish National Health Service (NHS) hospitals may be accessed and downloaded from the Spanish Ministry of Health web page (in Spanish):

- [Validation report](#)
- [Results of baseline measurement in Spanish NHS hospitals](#)

EVIDENCE FOR RELIABILITY/VALIDITY TESTING

Ministerio de Sanidad y Consumo. Construcción y validación de indicadores de buenas prácticas sobre seguridad del paciente. Madrid: Ministerio de Sanidad y Consumo; 2008. 178 p.

Ministerio de Sanidad y Consumo. Indicadores de buenas prácticas sobre seguridad del paciente. Resultados de su medición en una muestra de hospitales del sistema nacional de salud Español. Madrid: Ministerio de Sanidad y Consumo; 2008. 95 p.

Ministry of Health. Safe practices indicators project: background, summary of methods and measurement strategies. Madrid: Ministry of Health; 2009 Feb 20. 97 p.

Identifying Information

ORIGINAL TITLE

Existence in hospital of guidelines or protocol for prevention of central venous catheter (CVC)-related infections.

MEASURE COLLECTION

[Safe Practices Indicators Project](#)

MEASURE SET NAME

[Adopting Safe Practices in Specific Clinical Care Settings or for Specific Processes of Care](#)

MEASURE SUBSET NAME

[Prevention of Central Venous Catheter \(CVC\)-associated Infections](#)

SUBMITTER

Spanish Agency for Healthcare Quality of the Spanish Ministry of Health

DEVELOPER

Grupo de Investigación sobre Gestión de la Calidad en Servicios de Salud, University of Murcia, under contract to the Spanish Ministry of Health

FUNDING SOURCE(S)

Agency for Quality, Spanish Ministry of Health

COMPOSITION OF THE GROUP THAT DEVELOPED THE MEASURE

Saturno, Pedro J., MD, DrPH; Group Director and Project PI

Castillo, Carmen; López, M. José; Ramón, Teresa; Nurses

Carrillo, Andrés, MD; Intensive Care Specialist

Iranzo, M. Dolores; Hospital pharmacist

Soria, Victor, MD; Surgeon

Parra, Pedro, MD; Gomis, Rafael, MD; Gascón, Juan J., MD; Quality Management Specialists

FINANCIAL DISCLOSURES/OTHER POTENTIAL CONFLICTS OF INTEREST

Project entirely financed by the Spanish Ministry of Health.

ADAPTATION

Measure was not adapted from another source.

RELEASE DATE

2009 Feb

MEASURE STATUS

This is the current release of the measure.

SOURCE(S)

Ministry of Health. Safe practices indicators project: background, summary of methods and measurement strategies. Madrid: Ministry of Health; 2009 Feb 20. 97 p.

MEASURE AVAILABILITY

The individual measure, "Existence in Hospital of Guidelines or Protocol for Prevention of Central Venous Catheter (CVC)-related Infections," is published in "Safe Practices Indicators Project: Background, Summary of Methods and Measurement Strategies."

For more information, contact:

- Ministry of Health and Social Policy, Paseo del Prado, 18-20, planta baja, esquina con Lope de Vega. 28014 Madrid; Phone: +34 901 400 100; Fax: +34 915 96 44 80; Web site: www.msc.es/en/home.htm.
OR
- Pedro J. Saturno, Facultad de Medicina, Universidad de Murcia, 30100 Espinardo-Murcia (Spain); Phone: 868 883 948; Fax: +34 868 883947; E-mail: psaturno@um.es; Web site: <http://www.calidadsalud.com>.

COMPANION DOCUMENTS

The following are available:

- Ministerio de Sanidad y Consumo. Construcción y validación de indicadores de buenas prácticas sobre seguridad del paciente. Madrid: Ministerio de Sanidad y Consumo; 2008. 178 p. This document is available in Portable Document Format (PDF) from the [Ministry of Health and Social Policy Web site](http://www.msc.es) (in Spanish).
- Ministerio de Sanidad y Consumo. Indicadores de buenas prácticas sobre seguridad del paciente. Resultados de su medición en una muestra de hospitales del sistema nacional de salud Español. Madrid: Ministerio de Sanidad y Consumo; 2008. 95 p. This document is available in PDF from the [Ministry of Health and Social Policy Web site](http://www.msc.es) (in Spanish).

NQMC STATUS

This NQMC summary was completed by ECRI Institute on August 21, 2009. The information was verified by the measure developer on December 16, 2009.

COPYRIGHT STATEMENT

No copyright restrictions apply.

Disclaimer

NQMC DISCLAIMER

The National Quality Measures Clearinghouse™ (NQMC) does not develop, produce, approve, or endorse the measures represented on this site.

All measures summarized by NQMC and hosted on our site are produced under the auspices of medical specialty societies, relevant professional associations, public and private organizations, other government agencies, health care organizations or plans, individuals, and similar entities.

Measures represented on the NQMC Web site are submitted by measure developers, and are screened solely to determine that they meet the NQMC Inclusion Criteria which may be found at <http://www.qualitymeasures.ahrq.gov/about/inclusion.aspx>.

NQMC, AHRQ, and its contractor ECRI Institute make no warranties concerning the content or its reliability and/or validity of the quality measures and related materials represented on this site. The inclusion or hosting of measures in NQMC may not be used for advertising or commercial endorsement purposes.

Readers with questions regarding measure content are directed to contact the measure developer.

[Copyright/Permission Requests](#)

Date Modified: 1/18/2010

